

Ship's anchor

Sized for a 6 inch hoop (15 cm). The stitched design is about 3.8 × 4.1 in (9.7 × 10.4 cm).



Which color goes where.

Floss

■ DMC 336 Navy Blue

Arms, dark half of a fluke, ring, dark half of the stock and dark half of the shank

■ DMC 3755 Baby Blue

Light half of a fluke, light half of the stock and light half of the shank

Stitches

• Satin stitch, 2 strands

Arms, light half of a fluke, dark half of a fluke, ring, light half of the stock, dark half of the stock, light half of the shank, dark half of the shank

Three ways to transfer the pattern

1. Fabric you can see through

Tape page 2 to a sunny window or lay it on a light box, tape the fabric over it and trace the lines with a sharp pencil or a water-soluble pen.

2. Fabric you cannot see through

Lay dressmaker's carbon paper colored side down on the fabric with page 2 on top, tape the layers and trace the lines firmly with a ballpoint pen.

3. Iron-on


Go over the lines of page 3, the mirrored page, with an iron-on transfer pen, lay it ink side down on the fabric and press with a dry iron.

Pages 2 and 3 are the pattern at actual size. Print them at 100% with scaling turned off.

Ship's anchor

6 inch hoop

Print at 100% (actual size). Do not scale or fit to page. Check the square below with a ruler before you trace.

**1 in**


25.4 mm

Check square: 1 inch (25.4 mm) on each side.
If it measures anything else, print again at 100% with scaling off.

Ship's anchor

6 inch hoop

Mirrored. Trace this page with an iron-on transfer pen or pencil, then press it ink side down on the fabric.

**1 in**

25.4 mm

Check square: 1 inch (25.4 mm) on each side.
If it measures anything else, print again at 100% with scaling off.