

Compass rose

Sized for a 6 inch hoop (15 cm). The stitched design is about 3.9 × 4.8 in (9.9 × 12.2 cm).



Which color goes where.

Floss

■ DMC 336 Navy Blue

Outer ring, marks in the ring, short points, shaded halves of the cardinal points, cardinal points and center lines of the points

■ DMC 3852 Very Dark Straw

Shaded halves of the short points, fleur-de-lis middle petal, fleur-de-lis side petals, fleur-de-lis band and center

Stitches

- **Back stitch**, 2 strands
Outer ring, center lines of the points
- **Straight stitch**, 2 strands
Marks in the ring
- **Satin stitch**, 2 strands
Shaded halves of the short points, shaded halves of the cardinal points, fleur-de-lis middle petal, fleur-de-lis band
- **Stem stitch**, 2 or 3 strands
Short points, cardinal points, fleur-de-lis side petals
- **French knot**, 2 strands, two wraps
Center

Three ways to transfer the pattern

1. Fabric you can see through

Tape page 2 to a sunny window or lay it on a light box, tape the fabric over it and trace the lines with a sharp pencil or a water-soluble pen.

2. Fabric you cannot see through

Lay dressmaker's carbon paper colored side down on the fabric with page 2 on top, tape the layers and trace the lines firmly with a ballpoint pen.

3. Iron-on


Go over the lines of page 3, the mirrored page, with an iron-on transfer pen, lay it ink side down on the fabric and press with a dry iron.

Pages 2 and 3 are the pattern at actual size. Print them at 100% with scaling turned off.

Compass rose

6 inch hoop

Print at 100% (actual size). Do not scale or fit to page. Check the square below with a ruler before you trace.

**1 in**


25.4 mm

Check square: 1 inch (25.4 mm) on each side.
If it measures anything else, print again at 100% with scaling off.

Compass rose

6 inch hoop

Mirrored. Trace this page with an iron-on transfer pen or pencil, then press it ink side down on the fabric.

**1 in**

25.4 mm

Check square: 1 inch (25.4 mm) on each side.
If it measures anything else, print again at 100% with scaling off.